

Polergy Tablets and Syrup

www.greencrossindia.com

Levocetirizine dihydrochloride Tablets and Syrup

COMPOSITION

POLERGY Tablets

Each uncoated tablet contains:

Levocetirizine dihydrochloride.....5 mg

POLERGY Syrup

Each 5 ml contains:

Levocetirizine dihydrochloride.....2.5 mg

INDICATIONS

POLERGY Tablets and Syrup is indicated in the symptomatic treatment of perennial and seasonal allergic rhinitis and chronic idiopathic urticaria.

DOSAGE AND ADMINISTRATION

POLERGY must be taken orally, swallowed whole with liquid and may be taken with or without food. It is recommended to take the daily dose in one single intake.

POLERGY Tablets

Adults and adolescents 12 years and above:

The daily recommended dose is 5 mg (1 tablet).

Children aged 6 to 12 years:

The daily recommended dose is 5 mg (1 tablet).

POLERGY Syrup

Adults and adolescents 12 years and above:

The daily recommended dose is 5 mg (10 ml of solution).

Children aged 6 to 12 years:

The daily recommended dose is 5 mg (10 ml of solution).

Children aged 2 to 6 years:

The daily recommended dose is 2.5 mg to be administered in 2 intakes of 1.25 mg (2.5 ml of solution twice daily).

Due to the lack of data in this population, the administration of the product to infants and toddlers aged less than 2 years is not recommended.

CONTRAINDICATIONS

Hypersensitivity to levocetirizine, cetirizine, or its parent compound hydroxyzine. Patients with severe renal impairment (<10 ml/min creatinine clearance) should not be administered **POLERGY Tablets and Syrup**.

PACKAGING INFORMATION

POLERGY Tablets Blister pack of 10 tablets

POLERGY Syrup 30 ml bottle